## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(US-20030122697-\$).did. or (US-7330496-\$ or US- 7301893-\$).did.	US-PGPUB; USPAT	OR	ON	2009/06/10 16:32
L2	5	("20020051433"   "20030095529"   "5282222"   "5555268"   "5574747"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/10 16:50
L3	0	2 and (spread\$3 despread \$3) near5 (dft idft)	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/10 16:51
L4	1	2 and (spread\$3 despread \$3) same (dft idft)	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/10 16:51
L5	10272	(370/206 375/235 375/260 375/261 375/298)*.cots' and spreading adj ode same (IDFT ifft inverse adj fourier adj transform inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/10 18:01
L6	28	(370/206 375/235 375/260 375/261 375/293).cols. and spreading adj code same (IDFT ifft inverse adj fourier adj transform inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/10 18:01
L7	42	(370/206 375/235 375/260 375/261 375/298).cds. and (spread\$3 modulat\$3) adj code same (IDFT ifft inverse adj fourier adj transform inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/10 18:01
L8	7	7 and @ad<="20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/10 18:02
L9	0	inverse adj discrete adj transform same (spread\$3 walsh gold polyphase modulat\$3) adj2 code\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/10 18:09

L10	50	inverse adj discrete adj fourier same (spread\$3 walsh gold polyphase modulat\$3) adj2 code\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/10 18:09
L11	20	10 and @ad<="20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/10 18:09
Si	166	375/146.ccls. and generat\$3 with spreading adj code\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:53
82	73	St and equation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:54
S3	48	S2 and @ad< = "20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:54
S4	1	S3 and base with logarithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:59
<b>S</b> 5	3409	generat\$3 with spreading adj code\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:01
<b>S</b> 6	11	S and base with logarithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:01
S7	8	S6 and @ad<="20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:01

S8	0	"375"/\$.ccls. and "eq. (1)". clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:44
S9	0	"375"/\$.ccls. and "eq.".clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:44
S10	2602	"375"/\$.ccls. and "equation". dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:44
S11	1646	S10 and @ad<="20030710"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:44
S12	27	S11 and spreading adj code. dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:45
S13	4	"3099795".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 23:14
S14	2	"3747099".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 23:19
S15	0	(spreading polyphase barker) adj code\$1 with (adaptive arbitrary) adj lenght\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 00:52
S16	4	(spreading polyphase barker) adj code\$1 with (adaptive arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 00:53

S17	1	370/335.ccls. and (spreading polyphase barker) adj code\$1 with (adaptive arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 00:54
S18	3	370/335.ccls. and (spreading polyphase barker) adj code\$1 and (adaptive arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 01:11
S19	3	[370/335.ccls. and (spreading polyphase barker) adj code\$1 and (adaptive arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:37
S20	1	(US-20030122697-\$).did.	US-PGPUB	OR	ON	2008/12/03 09:44
S21	3	341/173.ccls. and generat\$3 with spreading adj code\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/03 09:46
S22	3	341/173.ccls. and generat\$3 with spreading adj (code\$1 sequence\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/03 09:47
<b>S2</b> 3	2	S22 and @ad<="20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:47
\$24	12	[("5228054"   "5600847"   "5623485"   "5629955"   "5835488"   "6005888"   "6054832"   "6141374"   "6154101"   "641980"   "6442152"   "6445714").PN.	US-PGPUB; USPAT; USOOR	OR	ON	2008/12/03 09:48
S25	4	S24 and multiplication	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/03 09:55
S26	2172	spread\$3 adj code adj generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/03 09:58
S27	2	\$23 and @ad< = "20030710"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:58

S28	1691	\$26 and @ad<="20030710"	US PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	OX	2008/12/03 09:58
S29	0	S28 and (multiplication multiplying) with (chip adj number and code adj number)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OX	2008/12/03 09:59
<b>S</b> 30	2	(multiplication multiplying) with (chip adj number and code adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 10:00
S31	6	S28 and (multiplication multiplying) with (chip adj number or code adj number)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 10:01
S32	23	("5416797"   "5546424"   "5566164"   "5602833"   "5619526"   "5638362"   "5734647"   "5818867"   "596373"   "5991284"   "6009091"   "6028888"   "6047306"   "6097712"   "6108369"   "6122310"   "624697"   "6246976"   "6381229"   "6519278"   "6560194"), P.N.	US-POPUB; USPAT; USOCR	OR	ON	2008/12/03 10:07
S33	0	S32 and (multiplying multiplication) with (code adj number chip adj number)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/03 10:29
S34	0	370/203.cds. and (spreading polyphase barker) adj code\$1 and (adaptive arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 10:30
S35	4	370/203.cds. and (spreading polyphase barker) adj code\$1 and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 10:30

S36	4	S35 and @ad< = "20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 10:31
837	50	(US-20010055294-\$ or US-20020027898-\$ or US-20020027898-\$ or US-200200027898-\$ or US-200200041623-\$ or US-20020041623-\$ or US-20020141845-\$ or US-200201181421-\$ or US-200201181421-\$ or US-200201181421-\$ or US-200201181421-\$ or US-200201181421-\$ or US-20030137957-\$), did. or (US-6259721-\$ or US-50009090-\$ or US-5009990-\$ or US-5009090-\$ or US-5009090-\$ or US-5009090-\$ or US-5737762-\$ or US-573762-\$ or US-573762-\$ or US-573762-\$ or US-573762-\$ or US-573762-\$ or US-6154454-\$ or US-615405-\$ or US-701290-\$ or US-701371-\$ or US-701290-\$ or US-701371-\$ or US-701290-\$ or US-7013943-\$ or US-716456-\$ or US-7164896-\$ or US-7164896-\$ or US-718198-\$ or US-7398055-\$ or US-7398055-\$ or US-7398055-\$ or US-7398055-\$ or US-7398055-\$ or US-7411997-\$ or US-7411997-	US-PGPUB; USPAT	OA	ON	2008/12/03
\$38	0	S37 and (spreading polyphase barker) adj code \$1 and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 11:49
539	0	S37 and generat\$3 with (spreading pn psuedo adj noise polyphase barker) adj (code\$1 sequence\$1) and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 11:53

S40	30	S37 and generat\$3 with (spreading pn psuedo adj noise polyphase barker) adj (code\$1 sequence\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 11:53
S41	28	S40 and @ad<="20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 11:53
S42	0	S41 and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:03
S43	2	375/136.ccls. and (spreading polyphase barker) adj code\$1 and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:04
S44	6	375/149.ccls. and (spreading polyphase barker) adj code\$1 and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:21
S45	9	375/149.ccls. and (spreading pn psuedo adj noise polyphase barker) adj code\$1 and (adaptive variable arbitrary) adj length \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:21
S46	9	S45 and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:21
S47	0	S46 and (multiplying multiplication) with (code adj number chip adj number)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/03 12:22
S48	0	S46 and (multiplying multiplication) with (code adj number chip adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/03 12:22

S49	19	375/140.ccls. and (spreading pn psuedo adj noise) adj (code\$1 sequence \$1) and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:40
S50	16	S49 and @ad<="20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:40
S51	0	S50 and (multiplication multiplying) with (chip adj number and code adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:41
S52	0	714/252.ccls. and (spreading pn psuedo adj noise) adj (code\$1 sequence \$1) and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:49
S53	69	375/130.ccls. and (spreading pn psuedo adj noise) adj (code\$1 sequence \$1) and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:49
S54	16	S50 and @ad< = "20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:49
S55	56	S53 and @ad<="20030710"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OO	2008/12/03 15:49
S56	0	S55 and (multiplication multiplying) with (chip adj number and code adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/12/03 15:50
S57	43	S55 and orthogonal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:50

S58	2	"6744808".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	0 0 0 0	2008/12/03 16:06
S59	208	375/130-152.cds. and (spreading pn psuedo adj noise) adj (code\$1 sequence \$1) and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:29
S60	152	S59 and @ad<="20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:30
S61	0	S60 and (multiplication multiplying) with (chip adj number and code adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:30
S62	0	S60 and (multiplication multiplying) with (chip and code adj number)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:30
S63	19	\$60 and (multiplication multiplying) with (chip and code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:30
S64	0	\$63 and (spreading pn psuedo adj noise) adj (code \$1 sequence\$1) with (multiplication multiplying) with (chip and code adj number)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:32
<b>S</b> 65	0	\$63 and generat\$3 with (spreading pn psuedo adj noise) adj (code\$1 sequence \$1) with (multiplication multiplying) with (chip and code adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:32
S66	О	S63 and generat\$3 with (multiplication multiplying) with (chip and code adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:33

S67	0	342/150-155.cds. and (spreading pn psuedo adj noise) adj (code\$1 sequence \$1) and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:34
S68	609	342/150-155.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:34
S69	0	342/193-196.ccls. and (spreading pn psuedo adj noise) adj (code\$1 sequence \$1) and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:34
S70	0	333/193-196.ccls. and (spreading pn psuedo adj noise) adj (code\$1 sequence \$1) and (adaptive variable arbitrary) adj length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:35
S71	3805	333/193-196.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:35
S72	39	(spread\$3 modulat\$3) adj cod\$3 with (IDFT inverse adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 14:15
S73	30	S72 and @ad< = "20040628"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 14:17
S74	39	(spread\$3 modulat\$3) adj cod\$3 with (IDFT inverse adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 17:01
S75	30	S74 and @ad<="20040628"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 17:01

S76	1	papadimitriou.in. and complex adj spreading adj sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 17:06
S77	24	S74 and @ad<="20030710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 17:22
S78	8	(375/135 375/140 375/146 375/149).cds. and (spread \$3 modulat\$3) adj2 cod\$3 same (IDFT inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 18:41
S79	6	S78 and @ad<="20040628"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 18:41
S80	24	(370/319 370/320 370/335 370/336 370/442 370/343 370/441 370/442) cods. and (spread\$3 modulat\$3) adj2 cod\$3 same (IDFT inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 18:46
S81	16	S80 and @ad<="20040628"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 18:46
S82	0	(455/39 455/91 455/103 455/112 455/118).cds. and (spread\$3 modulat\$3) adj2 cod\$3 same (IDFT inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 18:58
S83	1	spreading adj code adj generator same (IDFT inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 118:59

S84	9	spreading adj code adj generator same (IDFT ifft inverse adj fourier adj transform inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 19:00
S85	4	S84 and @ad< = "20040628"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 19:00
S86	0	poly adj phase adj codes same (idft inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09
S87	4	poly adj phase adj codes and (idft inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 19:04
S88	2	S87 and @ad< = "20040628"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 19:04
S89	10272	(370/206 375/293 375/260 375/261 375/298)*.cots* and spreading adj code adj generator same (IDFT ifft inverse adj fourier adj transform inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09
S90	1	(370/206 375/235 375/260 375/261 375/298), ods. and spreading adj code adj generator same (IDFT fiftt inverse adj fourier adj transform inverse adj discrete adj fourier adj transform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09
S91	4	"3099795".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 20:12

C:\ Documents and Settings\ LWilliams5\ My Documents\ EAST\ Workspaces\ 10563248.wsp